


KANDI


Trail King e1500

Installation Manual



Assembly Instruction


1.Fender



Step 1A

Install the fender


Install the fender bracket onto the frame



Step 1B


Install the fender

Install the mudguard onto the frame using the large flathead screws and flange lock nut.




Assembly Instruction


2.Wheel




Step 2A
Align the wheel
Install the front wheel onto the frame



Step 2B
Install the wheel
Secure it with flange bolts, flange locking nuts




Step 2C
Secure the wheel
Make sure the screws are tightened on both side




Assembly Instruction

3. Handlebar





Step 3A Place the brackets

Place the instrument bracket between the handlebar mounts. place the handlebar in the handlebar mount.




Step 3B Place the handlebar and accessories

Place the instrument bracket between the handlebar mounts. place the handlebar in the handlebar mount.




Step 3C Secure the handlebar

Place the mounting brackets on the mount and attach them with the provided bolts.




Assembly Instruction

4. Headlight




Step 4A
Place the front headlight
Place the headlight with its bracket in front of the fork.




Step 4B
Secure the headlight

Push the provided bolt, gasket, and spring washer through the hole on the fork and tighten.




Assembly Instruction

5. Battery



Step 5A

Plug-in the battery



NOTE: Recheck all fasteners for tightness after the first few rides.

Need Help? Please email support@kandiamerica.com or call **866-GO-KANDI**.